

ANDHRA PRADESH STATE AGRO INDUSTRIES DEVELOPMENT CORPORATION LIMITED

Admin Office: D.No.55-17-2 to 4, 5Th Floor, C-Block, Stalin Corporate, Road No.2, Industrial Estate, Auto Nagar, Vijayawada – 520007

1. BRUSH CUTTERS

Sl. No.	Name of the company & address, contact No. Email.ID	GSTN Number	Model & Specifications	Brand	Test report No. & Place of testing	Price quoted including GST	Final Negotiated price including GST	Remarks
1	2	3	4	5	6	7	8	9
1	Honda India Power Products Ltd., D.No.1-8-32/64, Plot No.64, GYR Plaza, 2nd Floor, Bapu Bagh Colony, PG Road, Secunderabad - 03 Email: ao_hyd@hspp.com	36AACH 8464L1Z5	1. Brush cutter Model:Honda, Brand:UMK435T U2NT,Power Opertaed 4stroke, air cooled, over head cam signle cylinder, petrol engine, 35.8 CC, 1.6HP Dry type with attachments like tap & go, 2 teeth blade, grass doom, 100/80 teeth blade.	Honda	FI&MTTC, No. FIMTTC/MECH/16/677, Aug-2016, Rajasthan Agrl. University, Bikaner	37026	33000	
2			2. Brush cutter Model:Honda, Brand:450T U2NT,Power Opertaed, 4stroke, air cooled, over head cam signle cylinder, petrol engine, 50 CC, 2HP Dry type with attachments like tap & go, 2 teeth blade, grass doom, 100/80 teeth blade.	Honda	FI&MTTC, No.FIMTTC/IMP/19/1194, FEB-2020, Rajasthan Agrl. University, Bikaner	36106	33000	
3	Kisankraft Limited, Head Office: Sri Huchhanna Towr #4, 1st main, 7-A Cross, Maruthi Layout, Dasarahalli, HAF Post, Hubballi, Bangalore, Email: info@kisankraft.com	26AACCK64 4J1Z6	1. imported from China, Power Operated Brush Cutter, Model No:KKBC -8640, make:Kisan Kraft, China engine, Walbro carburetor, rated power 1.14 kw (1.5 HP) speed:6600 rpm, 2 Stroke, air cooled, 6" blade, 1 cylender, 42.7 CC, weight 8 7.5 kgs with attachments like tap & go, 2 teeth blade, grass doom, 100/80 teeth blade.	KisanKraft	NERFMTTI, Assam, No.imp-129/176, may-2013	22000	18000	
4			2. Imported from China, Power Operated Brush Cutter Model:KKBC-8634, make: Kisan kraft, china engine, 4 Stroke, rated power 0.82 kw (1.1HP), displacement :34 cc, speed 7800 rpm, machine weight 7.5 kg, air cooled, 6" blade, 1 cylender, 34 CC, Gear drive, with attachments like tap & go, 2 teeth blade, grass doom, 100/80 teeth blade.	KisanKraft	NERFMTTI, Assam,No.equip:19/183, july-2013	22000	19000	

Sl. No.	Name of the company & address, contact No. Email.ID	GSTN Number	Model & Specifications	Brand	Test report No. & Place of testing	Price quoted including GST	Final Negotiated price including GST	Remarks
5	BVS Agro Agencies, H no.24/1/1439, 3rd street, JVR Colony, Nellore, Email: bvsagroagencies@yahoo.co.in 9440278143	37AAVPU56 30RIZG	1. Imported from China, Brush Cutter, Make China, Model: 255 GC2-Q, ENGINE: Honda, model ZDAAY6, Single cylinder, 4 stroke, spark irriation engine, Air cooled, dimentions: 1860x250x700mm, weight:8.4 kgs, with attachments like tap & go, 2 teeth blade, grass doom, 100/80 teeth blade.	BVS AGRO AGENCIES	Machine:FIM/FMTC /05/2014, DEC-2014, Prof Jayasanker University, Hyderbafd	33600	33600	
6	Andreas Stihl Pvt. Ltd Gut No.53/01, Pune-Nasik highway Near Vijay Logostics, Behind Lear Company, Khed Dist Pune info@stihlindia.com	27AAFCA71 03G1ZZ	1. Imported from China, STIHL Brush Cutter self proplled, Model No:FS-230, Engine:STIHL 4151 (china), 2 stroke, air cooled, signle cylender petrol engine, 40.2 cc, 2.1 hp, 7.5 kg bike handle, cutting attachment auto cut, metal blade, compatible for harvester with attachments like tap & go, 2 teeth blade, grass doom, 100/80 teeth blade.	STIHL	BIRSA AGRIL UNIVERSITY, RANCHI, No.BAU/DAE/08/21 9, 27-02-2019	25842	23500	
7			1. Imported from China, STIHL Brush Cutter self proplled, , Model No:FS-120, Brush cutter, Engine:STIHL 4134 (china), 2 stroke, aIr cooled, signle cylender petrol engine, 30.8 cc, 1.8 hp, 6.3 kg bike handle, cutting attachment auto cut, metal blade, compatible for harvester with attachments like tap & go, 2 teeth blade, grass doom, 100/80 teeth blade.	STIHL	NERFMTTI, Assam, No.Equip:25/261, Oct-2016	32990	29500	
8	MTD Products India Pvt. Ltd, Boosttart 3rd floor, Sai Impire, above poona repiblic baner, Pune - 411045 Emil:hussen@mtdproducts.co m Ph:8019775728	27AAKCM15 19P1ZZ	1. Imported from China, Make: MTD Brush Cutter, Model No:CC-943 Engine: MTD 42.7 cc, China 2 Stroke, air cooled signle cylender, petrol engine, 1.73HP, dry, 7.9Kgs, dimentions: 450x475x650 mm, weight:7.50 Kgs, with attachments like tap & go, 2 teeth blade, grass doom, 100/80 teeth blade.	MTD	A &FEDept., Iiit, Kharagpur, IIT/AgFE/BC/MTD/ 3/14, Feb-2014	40946	-	Not attend negotiations

Sl. No.	Name of the company & address, contact No. Email.ID	GSTN Number	Model & Specifications	Brand	Test report No. & Place of testing	Price quoted including GST	Final Negotiated price including GST	Remarks
9	VR Agro Equipments No.7-299/A, Veera Reddy Building, Koilakuntla Road, Allagadda, Kurnool, Email:info@farmak.in, ph 9505518217/222	37AAKFV60 64H1ZQ	1. made in India, Model No.FARMAK FM-35/H, power operated Brush cutter,Engine: Honda GX35, 35 cc, 1.2hp, (80 teeth blade & nylon rope trimmer) with 4 Stroke, single cylinder engine, Country of origion : Thailand, dimitions:LXWXH:1900X63X0350MM, with attachments like tap & go, 2 teeth blade, grass doom, 100/80 teeth blade.	FARMAK	FMTTC, Akhola, No.IMP-PO-3/104, MARCH-2017	32000	28500	
10	Rekha Agriplus Ltd., 18-1-31a, first line, mango market, near prabhas college, opp: anjaneya swamy temple, Kedareshwarapeta, Vijayawada, 9966897595	37AABCR 7967BIZ7	1. Made in India, Rekha Self proplled Brush Cutter, model: Mr.Green FE 43BC, engine:farmech, FE43, TAIWAN, Horizontal, air cooled, single sylender, 4 stroke, Petrol engine,Spark Ignition engine 35.8 CC 1.4 HP 8 Kgs , SIZE:1915X1890X1880MM, with attachments like tap & go, 2 teeth blade, grass doom, 100/80 teeth blade.	FARMECH	SRFMTTI, Garladinne, MACHINE:123/599, FEB-2016	33000	32000	
11			2. Made in India, Rekha Self proplled Brush Cutter, model No:Mr Green GX-35 BC, ENGINE: GX35, HONDA, Thailand, HORIZONTAL Air cooled, single cylimder, 4 stroke, spark ignition, petrol engine. Dimention: 1930x1905x440x635, Weight:8 kgs., with attachments like tap & go, 2 teeth blade, grass doom, 100/80 teeth blade.	FARMECH	SRFMTTI, Garladinne, MACHINE:122/598, FEB-2016	31000	30000	

Sl. No.	Name of the company & address, contact No. Email.ID	GSTN Number	Model & Specifications	Brand	Test report No. & Place of testing	Price quoted including GST	Final Negotiated price including GST	Remarks
12	GT Agro Industries, Foundry Nagar, Hathras Road, Near Canara Bank, Agra - 282006, 9948353500	09ADSPK 2289GIZ0	Brush Cutter Model: Imported from Hang Kong GT SHAKTI, GT-BG438 Brush Cutter, self propelled back pack, engine: GT Shakti, model: GX35/40F, Single cylinder, air cooled, vertical four stroke, spark ignition engine, china engine, , sizes:2700x2720x520x290mm, weight:9.8 kgs, with attachments like tap & go, 2 teeth blade, grass doom, 100/80 teeth blade.	GT SHAKTI	FMTTI, Garladinne, machine-405/1237, dec-2020	21830	20000	
13	Ralli Agrotech Limited G1, 3/16 & 3/17, Ramdas Gardens, Behind Police Station, West Marredpalalli, Secunderabad - 26, Email: secunderabad@ralliagri.com, Ph: 9848566521	36AACCR 3891F1Z9	1. RALLI - Brush Cutter, 43 CC, 2 Stroke, Air Cooled Engine, 1500mm length pipe dia is 28mm maximum output 1.25 KW/7000r/min with attachments like tap & go, 2 teeth blade, grass doom, 100/80 teeth blade.	RALLI	no test report	18000	17000	
14	Aspee Group of Companies, 4th Floor, Aspee House, Opp.IOB Bank, Marve Road, Maland (West) Mumbai - 064, Ph:8008917887, Email:aseppe@aspee.net	24AAACA 980G1ZN	Model No.CHS35/2S, Aspee Jonathan Side pack, single cylinder, 2 Stroke, forced air cooled, 35 CC 1.5HP / 1.1 Kw@6500RPM with attachments like tap & go, 2 teeth blade, grass doom, 100/80 teeth blade.	ASPEE	no test report	17340	16000	
15			Model No.CHS35/2S/TW,1.5 hp, single cylinder, 2 stroke, air cooled, Aspee Jonathan Side pack, 2 Stroke Crop hargestter with tiller and weeder with attachments like tap & go, 2 teeth blade, grass doom, 100/80 teeth blade.	ASPEE	-	24200	-	Not Considered
16			Model No.CHS35/4S, Aspee Jonathan Side pack, 4 Stroke Crop hargestter, with attachments like tap & go, 2 teeth blade, grass doom, 100/80 teeth blade.	ASPEE	-	20000	-	Not Considered

Sl. No.	Name of the company & address, contact No. Email.ID	GSTN Number	Model & Specifications	Brand	Test report No. & Place of testing	Price quoted including GST	Final Negotiated price including GST	Remarks
17			Model No.CHS35/4S/TW, Aspee Jonathan Side pack, 4 Stroke Crop hargester with tiller and weeder with attachments like tap & go, 2 teeth blade, grass doom, 100/80 teeth blade.	ASPEE	-	2686	20000	
18			Imported from China, Self propelled bursh cutter, Model:Husqvarna - 143RII, Engine make: Husqvarna, Model 143RII Swedan, 2 stroke, Aircooled syngle cylander, Power - 1.5kW (2Hp) Displacement - 41.5 cm ³ Weight without fuel, cutting attachment and guard, kg - 7.6kg, with attachments like tap & go, 2 teeth blade, grass doom, 100/80 teeth blade.	Husqvarna - 143RII	FMTC, Kelappaji college of Agril. Engg. & Tech, Kerala	35200	34200	
19	Husqvarna India Products Pvt. Ltd., 1st Floor, Sweet House, No.5, Sir PS Sivasamy Salai, Mylapure, chennai- 600004, Tamil Nadu, Ph:7338848683	33AACCH01 35 L2ZW	Imported from China, Self propelled bursh cutter Model No.Husqvarna - 236R, Engine make Husqvarna, Model 236, Swedan, aircooled single cylander,Horinzontal, 2 stroke, Power - 1.2kW (1.6Hp) Displacement -33.6 cm ³ Weight without fuel, cutting attachment and guard, kg - 7.2 kg, with attachments like tap & go, 2 teeth blade, grass doom, 100/80 teeth blade.	Husqvarna - 236R	FMTC, Kelappaji college of Agril. Engg. & Tech, Kerala	31350	Not Considered	
20			Imported from China, Self propelled bursh cutter Model No.Husqvarna - 131R,Engine make Husqvarna, Model 131r, Swedan, aircooled single cylander, Horinzontal, 2 stroke, Power - 0.9kW (1.2Hp) Displacement -32.5 cm ³ Weight without fuel, cutting attachment and guard, kg - 10.2 kg, with attachments like tap & go, 2 teeth blade, grass doom, 100/80 teeth blade.	Husqvarna - 131R	no test report	19150	Not Considered	

Sl. No.	Name of the company & address, contact No. Email.ID	GSTN Number	Model & Specifications	Brand	Test report No. & Place of testing	Price quoted including GST	Final Negotiated price including GST	Remarks
21	Maya Corporation, 51, Patosha Park-2, Karadwa Road, Surat 394210, Gujarat, Ph:8919893702 salesmayacorp@gmail.com	24KDPC 2383L1Z9	BRUSH CUTTERS Engine: 4 STROKE, Power ouput: 1.5hp, Machine Weight: 8.5 kg, Tank capacity: 600 ml, Fuel consumption: 1L/ 2hr, Max engine speed: 6500rpm	-	-	14160	14160	No test reports.
23	Shubh saraswati Industries, Mavdi Bypass Road, B/H Tripura Machine tools, Mavdi GAM, Rajlit, 9948353500	24AAPL8675 N1ZI	brush cutter, 52 cc 2 stroke, brush cutter with tap & go saw bladeand two point	GOLF	-	13776	-	No test reports.
24	VGN Agro Industries 2-68, Apparaddyapalli Village, Madgul Mandal, Rana Reddy, District, Telangana, vgnagroindustries@gmail.com 6302325120	36AAQFV52 93CIZR	VGN 4 Stroke Sidepack Brush Cutter with OEM Honda Gx35 Engine, Powered by OEM Honda Gx35 Engine, Displacement – 35cc, Engine Power – 1.25KW/7000RPM, Engine Type – 4 Stroke Fuel – Petrol, Includes - 3T , 80T Blades, Nylon Trimmer and Paddy Guard, Double Strap Belt for Better Operation	VGN	NO	28000	28000	
25			VGN 4 Stroke Side pack Brush Cutter with Gx35 Model Engine, Powered by VGN Gx35 Model Engine, Displacement – 35cc, Engine Power – 1.25KW/7000RPM, Engine Type – 4 Stroke, Fuel – Petrol, Includes - 3T , 80T Blades, Nylon Trimmer and Paddy guard, Double Strap Belt for Better Operation,	VGN	NO	17000	17000	