

ANDHRA PRADESH STATE AGRO INDUSTRIES DEVELOPMENT CORPORATION LIMITED

Admin Office: D.No.55-17-2 to 4, 5Th Floor, C-Block, Stalin Corporate, Road No.2, Industrial Estate, Auto Nagar, Vijayawada – 520007

4. TRACTOR OPERATED PADDY STRAW BALER

Sl. No.	Name of the company & address, contact No. Email.ID	GSTN Number	Model & Specifications	Brand	Test report No. & Place of testing	Price quoted including GST	Final Negotiated price including GST	Remarks
1	2	3	4	5	6	7	8	9
1	M/s.Redlands Ashlyn Motors Plc Redlands house, Karikkath Lane, MG Road, Thrissur, Kerala, India, 8136800662	33AAIFR479 9M1ZF	1. Tractor Operated Round Straw Baler, Model: SBA 330 Extra wide, suitable for above 45 hp tractor, Heavy Duty Frame, PTO-540 RPM, Tractor required 30HP and above, baledia 50MM Bale weight 18-22 Kgs , pickup width-120cm, dimentiones: 180x125x116 cm, weight:553 kgs, country of origion : India	Redlands	FMTCKAU, Kerala, No.FmtcKau/TR No.22, april-2015	410600	350000	
2	M/s.BERI UDYOG KPVT.LTD. PLOT NO-100-101, SECTOR-3, HSI IDC, KARNAL- 132001,HARYANA(INDIA). Email:marketing@fieldking.com.	06AAACB53 79C1ZX	1. Tractor operated square baler MODEL: FKS B-511, 50 HP above Tractor operated, 4 wheel, 2 wheel drive, baler size: 1885 mm, dimentiones: 620x460x370mm, 540 rpm pto operated, No. of balers 30- 40 per hour 45 HP Paddy straw baler,	Fieldking	FMPEC of Agril Engg. & Tech. CCSS, Hisar, No.HAU/FMPE/17- 18/SB-01, JAN-2018	1200000	1195000	
3			1. Tractor operated round baler MODEL: MRB-0850B, 35 HP above Tractor operated, 4 wheel, 2 wheel drive, engine model: Farmtrac-35, baler size: 70x50cm, dimentiones: 620x460x370mm , 540 rpm pto operated, round straw baler.	Fieldking	FMPEC of Agril Engg. & Tech. CCSS, Hisar, No.HAU/FMPE/20- 21/SB-07, July, 2020	350000	335000	

Sl. No.	Name of the company & address, contact No. Email.ID	GSTN Number	Model & Specifications	Brand	Test report No. & Place of testing	Price quoted including GST	Final Negotiated price including GST	Remarks
4	M/s.Trith Agro Tehcnology Pvt. Ltd, S.No.267, Kothapalli Panchayat, Proddatur, Kadapa, Ph:9701368588 prasad@shaktimanagro.com	24AABCT62 82F1ZE	1. Tractor Operated Shaktiman Round baler Model : SRB 60 Plus, suitable for PTO power 27 hp to 50 hp, overall dimentions : Length.1445, width 1590, height 1342, total mass 565 kgs,	Shaktman	NERFMT&TI ASSAM No.Machie 33/370/ March 2020	343200	334000	
5			2. Tractor operatedn Shaktiman Round baler Model No.SRB 120, suitable for 55 hp and above tractors, max pto power:50.3 hp,, overall dimensions : Length.4470, width 2515, height 1340, total mass 3419 kgs,	Shaktman	NERFMT&TI ASSAM No.Machie 32/342/ August, 2019	1924000	1850000	
6			3. Shaktiman tractor drawn Square baler Model No.SBM-150, suitable for above 35 hp tractor, 540 rpm, overall dimensions : Length.(Transport) 5300, Field:6200, width 2720, height 1590, total mass 1560 kgs.	Shaktman	SRFMT&TI, Garladinne, No.Machine-87/518, August, 2015	1031680	992000	
7			4. Shaktiman bale master Square baler Model :SBM-165, tractor drawn, pto powered, suitable for35 HP above, overall dimensions : Transport 5500, Field:6290, width 2980, height 1850, total mass 1750 kgs,	Shaktman	SRFMT&TI, Garladinne, No.Machine-343/1159, May, 2020	1102400	1060000	

Sl. No.	Name of the company & address, contact No. Email.ID	GSTN Number	Model & Specifications	Brand	Test report No. & Place of testing	Price quoted including GST	Final Negotiated price including GST	Remarks
8	M/s.Maschio Gaspardo India Pvt. Ltd, Plot No.F-27, MIDC Ranjangaon, VillageKaregaon, Shirur Pune 220, Ph:9966435229	24AAHCM1258Q1ZW	1. Maschio Gaspardo Tractor Operated Paddy square straw Baler, Model:Pitagora-L, suitable for 50HP Tractor, Max.PTO speed 540rpm, engine speed 2400 rpm, overall dimensions in mm transport5767, Field:6410, Width:2060, Height:1900, Mass 2000 Kgs	Maschio	FMTC, Rajendra nagar, Hyderabad No.Machine-33/165, February, 2018	1249000	1194000	
9	M/s.Bull Agro Implements, Kannampalayam (Po), Ravathur Pirivu, Coimbatore. Mail: marketing@bullagro.com	33AAFFB6515J1ZM	Bull Straw Baler, Model No.BRB 540, tractor operated shaped round baler, suitable for 35 hp above Tractor, overall dimensions in mm: Length.1410, width 1750, height 1320, total 493 kgs,	Bull Agro	SLFMTC, Bhubaneswar, No.IMP.56/2017-18, July, 2017	364000	350000	
10	M/s.Lakshmi Envirotech Systems Pvt. Ltd 100/6, Kurudampalayam Village, K.Vadamadurai, Mettupalyam Road, Coimbatore - 017, Tamilnadu, Ph:8943098303	33AAACL3655K1ZI	1. Tractor operated paddy Round straw baler Model No.Jawan 266, 35 HP above tractor, bale Length 1040 mm, tractor power 40-45 HP, overall dimensions : Length.1100, width 1700, height 1220	LENS Pvt. Ltd	FMTC, Kerala, IMP-55/78/2020,	324900	315000	
11			2. Tractor operated paddy Round straw baler Model No.Raini 1220, 35 HP above tractor, bale Length 930 mm, tractor power 40-45 HP	LENS Pvt. Ltd	FMTC, Kerala, No.IMP-51/74/2020, January, 2020	324900	Not considered	
12	M/s.Jaysan Agriindustrial 33, West Stree, Karattupalayam, Vengambur,Unjalur, Erode - 638 152, Email:jaysanagriindustrial@gmail.com, 9585822997	33AALFJ3271B1ZQ	1. Model No.Jaisan JRB - 312 Round Baler tractor operated, suitable for above 35 HP, average weight of bale 25 to 30 kg, overall dimensions : Length.1300, width 1560, height 1445, Mss 620 Kgs	Jaisan	SRFMT&TI, Garladinne No.Machine-171/736, February, 2017	350000	314000	